



***WISCO INDUSTRIES, INC.***

**PIZZA OVENS • CONVECTION OVENS • MERCHANDISERS • DELI WRAPPER**

**FAMILY OWNED AND OPERATED  
SINCE 1949**

**wiscoind.com**



**Wisco Industries** has been a top manufacturer of convenience food service equipment for over 50 years. Our ovens and merchandisers are engineered and manufactured for high-volume usage, and perform consistently under extreme conditions. Wisco products withstand around-the-clock use, multiple operators, and self-service merchandising, while supporting a wide variety of convenience foods.

Known for their adaptability, Wisco ovens and warmers can be used for virtually any convenience food. Whether you're serving pizzas, tacos, hot dogs, and nachos, or cookies, pretzels, poppers, and cheese sticks, we have the product that's right for you. Versatile and reliable, Wisco products are your service solution.



## Pizza Ovens



**MODEL 421 PIZZA/MULTI-PURPOSE OVEN**

### Features:



- Can accommodate pizzas up to 12"
- Removable clean-out tray
- LED display
- Adjustable thermostat 150°F–500°F in 25°F increments
- 30-minute digital display timer
- Quick one-touch setting of 450°F for 10 minutes
- Long-life calrod heating elements
- Flip-up handle design for easier storage
- "Formed" tray to prevent food products from sliding off back of tray

### Available Accessories:

- Cookie pan (#0016555)
- Cooling rack (#616CR)
- Parchment paper: 500 sheets (#18167-1), 1,000 sheets (#18167-2)

### Electrical Data:

- 120 volts, 12.5 amps, 1500 watts

### Dimensions:

- 15"L x 18"W x 7-3/4"H  
Internal dimensions: 13" x 13" x 3"  
Opening: 3" x 13"

# QUALITY



**MODEL 561 DELUXE PIZZA OVEN**

### Features:



- Can accommodate pizzas up to 16"
- Removable clean-out tray
- LED Display
- Adjustable Thermostat 150°F–650°F in 25°F increments
- 30 minute digital display time with "Hold" option
- Quick one-touch setting with time and temperature memory
- Long life calrod heating elements
- Attractive stainless steel outer housing
- Insulated
- Flip up handle design for easier storage
- Use with model 680-1 on top for a great space saving feature →



### Electrical Data:

- 120 volts, 14.2 amps, 1700 watts

### Dimensions:

- 19-1/2"L x 23-5/8"W x 10-1/4"H  
2-7/8" x 17-1/2" door opening  
Grill/Rack dimension: 17" x 17"



## Convection Ovens



**MODEL 520 COOKIE OVEN/  
CONVECTION OVEN**

### Features:



- High speed fan for even air distribution
- Temperatures ranging from 100°F–350°F
- Stainless steel outer construction
- Removable door and rack slides for easy cleaning
- Unit comes with (3) customized 14-1/2" x 10" aluminum baking trays. These are slightly larger than a standard 1/4 size pan to allow for more cookies.
- (12) 1.0 oz or (9) 1.5 oz cookie pucks per tray
- Portable, magnetic digital timer (1) AAA battery required; not included

*Able to accommodate (3) standard 1/4 size sheet pans (not included)*

### Available Accessories:

- Cooling rack (#0022840CR)
- Boxed set of (3) aluminum baking trays (#00520PS3)
- 500 sheets parchment paper (#0022847)
- Portable, magnetic digital timer (#0022845) (1) AAA battery required; not included

### Electrical Data:

- 120 volts, 11.25 amps, 1350 watts

### Dimensions:

- 20"L x 17-1/2"W x 9"H  
Inside Dimensions: 10"W x 15-1/2"D x 7"H



**MODEL 621  
1/4 SIZE CONVECTION OVEN**

### Features:



- Quick, easy 3 step bake process with multiple programmable presets
- Precise temperature and adjustable time control
- High speed fan for even air distribution
- Baking temperatures ranging from 150°F–500°F
- Stainless steel construction
- Insulated, double wall construction
- Removable door and rack supports for easy cleaning
- Unit comes with (3) Wire Racks and (3) 13½" x 10" Aluminum Baking Trays
- Will accommodate most 9" x 13" pans depending on the height and style of the lip/rim

*Able to accommodate (3) standard 1/4 size sheet pans (not included)*

### Available Accessories:

- 00620PS3 - 3 Aluminum Baking Trays Boxed Set
- 0022693 - 500 Count Parchment Paper
- 0022694 - 1000 Count Parchment Paper
- 0022840CR - Cooling Rack Kit

### Electrical Data:

- 120 volts, 10.9 amps, 1300 watts

### Dimensions:

- 19"W x 18"D x 14-1/4"H  
Inside Dimensions: 13-1/2"W x 10"D x 8-1/2"H

# PRECISION



**MODEL 721  
1/2 SIZE CONVECTION OVEN**

### Features:



- Quick easy 3 step bake process, with 20 programmable presets
- Precise temperature and adjustable time control
- High speed fan for even air distribution
- Baking Temperatures ranging from 150°F–500°F
- Stainless steel construction
- Insulated, double wall construction
- Removable door and rack slides for easy cleaning
- 20 programmable baking presets
- Unit comes with (3) cooking racks & customized 16" x 18" aluminum baking pans. These are 50% larger than a standard 1/2 size pan allowing 25% more cookies than a standard pan per bake cycle.
- Can accommodate (2) 16" pizzas per bake cycle

*Able to accommodate (3) standard 1/2 size sheet pans (not included)*

### Available Accessories:

- 00721PS3 - Boxed set of (3) aluminum baking trays
- 0027258-500 - 500 Count Parchment Paper
- 0027258-1000 - 1000 Count Parchment Paper
- 0027359CR - Cooling Rack Kit

### Electrical Data:

- 120 volts, 12.5 amps, 1500 watts

### Dimensions:

- 23-1/2"W x 24" D x 16-1/4"H  
Inside Dimensions: 18-3/4"W x 16-1/2"D x 10"H



513

613

**MODEL 513/613 COOKIE  
DISPLAY**

### Features:

- Acrylic construction
- Model 513: Front door for self serve
- Model 613: Rear door for operator serve
- Magnetic Latch
- 3 removable shelves
- Each shelf: 11-1/4" x 11-1/4"

### Available Accessories:

- #0027208 Cookie Tray

### Dimensions:

- 13-1/2" W x 13-1/4" D x 15-3/4"H



## Food Warmers/ Merchandisers

# DEPENDABILITY



680-1



680-3

### MODELS 680-1/680-3 FOOD WARMING/ MERCHANDISING CABINETS



#### Features:



- Black hood with "Ready To Go" pizza graphic panels (#1013757)
- Adjustable thermostat
- Temperatures from 80°F to above 150°F
- Each shelf accommodates up to a 16" pizza
- Optional racks available (1 per shelf) FLAT (#0016777) or 3/4" RAISED (#0016289)
- Great for placing on top of the Wisco Model 561 pizza oven for a space saving feature
- Available as single door units only
- 680-1: 2 heated, illuminated shelves
- 680-3: 3 heated, illuminated shelves



#### Electrical Data:

- 120 Volts, 2.1 Amps, 260 Watts

#### Dimensions:

- Outside: 18"L x 18"W x 24"H
- Inside: 17"L x 17"W x 13-1/2"H



### MODEL 680-4 FOOD WARMING/ MERCHANDISING CABINET

#### Features:



- Backlit "Ready To Go" graphics
- Adjustable thermostat
- Temperatures from 80°F to above 150°F
- 4 heated, illuminated shelves
- Each shelf accommodates up to a 16" pizza
- Optional racks available (1 per shelf) FLAT (#0016777) or 3/4" RAISED (#0016289)
- Single door unit only; not available as 2 door "pass through" option

#### Electrical Data:

- 120 Volts, 5 Amps, 600 Watts

#### Dimensions:

- 18"L x 18"W x 33"H
- Each shelf is 17" x 17" with 5-1/2" between shelves



### MODELS 690-16 FOOD WARMING/ MERCHANDISING CABINET

#### Features:



- Acrylic display
- Adjustable thermostat
- Temperatures from 80°F to above 150°F
- Stainless steel corners and base
- 2 door "self-serve" option available
- Additional shelves (#0016388) available
- Available as single door or 2 door pass through unit
- Total height of available shelf space: 14"
- Unit comes with 2 shelves

#### Electrical Data:

- 120 volts, 5.3 amps, 640 watts

#### Dimensions:

- 18"L x 18"W x 25"H



### 690-25 FOOD WARMING/ MERCHANDISING CABINET

#### Features:



- Acrylic display
- Adjustable thermostat
- Temperatures from 80°F to above 150°F
- Stainless steel corners and base
- 2 door "self-serve" option available
- Additional shelves (#0016388) available
- Available as single door or 2 door pass through unit
- Total height of available shelf space: 23"
- Unit comes with 4 shelves

#### Electrical Data:

- 120 volts, 5.3 amps, 640 watts

#### Dimensions:

- 18"L x 18"W x 34"H



## Food Warmers/ Merchandisers

# PRESENTATION



**MODEL 695 FOOD WARMING/  
MERCHANDISING CABINET**

### Features:



- Humidified Unit
- “Ready To Go” pizza graphic panels on Model 695
- Humidified Unit
- Indicator lights show when water tank is empty/full
- Glass panels and display floor remove for easy cleaning
- Adjustable thermostat
- Temperatures from 80°F to above 150°F
- 2 Door “self-serve” option available
- Rotating racks accommodate up to a 16" pizza
- Available in black also

### Electrical Data:

- 120 volts, 8.9 amps, 1070 watts

### Dimensions:

- 18-1/2"L x 18-1/2"W x 32"H



**MODEL 695-S FOOD WARMING/  
MERCHANDISING CABINET**

### Features:



- Humidified Unit
- “Ready To Go” graphic panels on Model 695-S
- Humidified Unit
- Indicator lights show when water tank is empty/full
- Glass panels and display floor remove for easy cleaning
- Adjustable thermostat
- Temperatures from 80°F to above 150°F
- 2 Door “self-serve” option available
- Includes (4) shelves
- Total height of adjustable shelf space: 21"
- Adjustable shelves accommodate up to a 14" pizza
- Additional shelves available (#0018630)
- Available in black also

### Electrical Data:

- 120 volts, 8.5 amps, 1020 watts

### Dimensions:

- 18-1/2"L x 18-1/2"W x 32"H



**MODEL 925W FOOD WARMING/  
MERCHANDISING CABINET**

### Features:



- Non-Humidified Unit
- Glass and stainless steel construction
- Adjustable thermostat
- Temperatures from 80°F to above 150°F
- Comes standard with 4 adjustable shelves
- Total height of available shelf space is 21"
- Additional shelves available (#0018630)

### Electrical Data:

- 120 volts, 7.9 amps, 946 watts

### Dimensions:

- 18-3/4"L x 18-3/4"W x 29-1/2"H



282-24-R



282-24

**MODELS 282-24/282-24-R  
FOOD WARMING/  
MERCHANDISING CABINETS**

### Features:



- Thermostatically controlled heated shelf and base plate
- Adjustable thermostat for precise temperature control
- Temperature range to above 150°F
- Illuminated to showcase product on both heated surfaces
- (2) 2"x24" display channels that allow you to slide in custom graphics
- Sturdy, durable stainless steel construction
- Slanted shelf/base units available that have the top shelf angled down 6° in front: 282-24-S or 282-24-SR

### Available Accessories:

- Acrylic sneeze guard (#0022544SK)
- Flat grill racks (#0022542)
- 8" Aluminum product trays (#0022591)
- 3-7/8" Aluminum product trays (#0022520)
- Divider bars (#0022521)
- Sign holder (#0022523)

### Electrical Data:

- 120 volts, 12.5 amps, 1500 watts

### Dimensions:

- Outside: 25"L x 18"W x 20-1/2"H
- Inside: Base - 24"L x 17"W; Shelf - 24"L x 17"W

# Food Warmers/ Merchandisers

# VERSATILITY



**MODEL 791 FOOD WARMING/  
MERCHANDISING CABINET**

## Features:



- “Ready To Go” graphic
- Includes 1.25" channel graphics:  
**HOT, FRESH, DELICIOUS**
- Heated, forced air
- Overhead and rear LED illumination
- Single rear door for product stocking
- 3 front doors for product removal
- 3 - 9" x 11" Racks
- 4-1/4" spacing between racks
- Temperature range 90°F to 175°F
- Adjustable digital temperature control



## Electrical Data:

- 120 volts, 5.3 amps, 640 watts

## Dimensions:

- 9-1/2"W x 16-3/4"D x 22-1/4"H



**MODEL 891 FOOD WARMING/  
MERCHANDISING CABINET**

## Features:



- “Ready To Go” graphic
- Includes 1.5" channel graphics:  
**HOT, FRESH, DELICIOUS**
- Heated, forced air
- Overhead and rear LED illumination
- Double rear doors for product stocking
- 3 front opening doors for product removal
- 3 - 15" x 14" Racks
- 4-1/4" spacing between racks
- Temperature range 90°F to 175°F
- Adjustable digital temperature control



## Electrical Data:

- 120 volts, 5.6 amps, 670 watts

## Dimensions:

- 15-1/2"W x 17-1/8"D x 22-3/8"H



**MODELS 727  
FOOD WARMING/  
MERCHANDISING CABINETS**

## Features:



- Acrylic display
- “Ready To Go” graphic
- Adjustable thermostat
- Temperature range to above 150°F
- Dual front doors
- Stainless steel base
- Overhead illumination
- 2 removable racks

## Electrical Data:

- 120 volts, 2.5 amps, 300 watts

## Dimensions:

- 12-1/4"L x 13-1/4"W x 18-1/4"H  
Upper Rack: 11-1/2" x 9"  
Lower Rack: 11-1/2" x 11-1/2"



**MODEL 323HH WARMING/  
MERCHANDISING CABINET**

## Features:



- Fully adjustable thermostat
- Temperatures from 80°F to 150°F
- Overhead illumination
- Lift-off door and removable side panels for easy cleaning
- Glass sides/Acrylic front & stainless steel construction
- 2 tier removable rack  
14-7/8" x 12-1/2" & 11-5/8" x 12-1/2"
- 5-1/4" spacing between shelves

## Electrical Data:

- 120 volts, 7.5 amps, 900 watts

## Dimensions:

- 19-3/4"L x 15-1/16"W x 19"H



## Accessories



**MODEL 630 DELI WRAPPER**

### Features:



- INCLUDES ADAPTER DISC FOR 10"-12" PIZZAS
- High watt density heating element shrink wraps pizzas in seconds
- Thermostatically controlled heating element provides controlled heat for continuous or intermittent operation
- (3) thumb screws remove protection shroud for cleaning
- Heat shroud and stainless steel clean-out tray add to ease of maintenance and cleanability
- Heat shroud reduces temperatures to prevent film sticking and provides extra measure of safety to prevent burns
- Adjustable pedestal accommodates various sizes of product for shrink wrapping

### Available Accessories:


- 14" - 16" pizza adapter disc (#0016239)
- 6" - 8" pizza adapter disc (#0016240)

### Electrical Data:

- 120 volts, 12.5 amps, 1500 watts

### Dimensions:

- 12"L x 12"W x 7"H with adjustable supporting surface
- 14" diameter protective shield



**MODEL 650-BW 2 TIER DISPENSER  
MODEL 650-1-BW SINGLE TIER DISPENSER**

### Features:

- Model 650-BW: 2 tier dispenser
- Model 650-1-BW: Single tier dispenser



**MODELS 660N/670N LTR  
SYSTEM LABEL/TAPE/RIBBON  
DISPENSERS**

### Features:

- Dispensers accommodate tape, labels and ribbon in any roll width having core diameters of either 1" or 3" and an overall diameter of up to 6"
- Rolls are installed and replaced without disturbing others in place
- 4 suction cups on bottom to secure placement of unit

### Model 660N

- 18" Version
- 19"L x 8-5/8"W x 4-1/8"H

### Model 670N

- 10" Version
- 11"L x 8-5/8"W x 4-1/8"H



**MODEL 220 MERCHANDISING  
CART**

### Model 220 Features:

- Made from high density polyethylene recycled material
- Shelves and legs will not chip, warp, crack, rust or peel
- Dimensions: 18"L x 24"W x 34"H
- 3 shelves (12" clearance between shelves)
- 1/4" safety retaining lip on each shelf
- Raised texture surface to enhance product placement and ensure minimal sliding
- Heavy duty 4" swivel casters, two with locking brake
- 200 lb. weight capacity
- Great for placing merchandiser on top for space saving feature



Model	Shipping Dimensions	Shipping Weight	Recommended Shipping Method
220	27"L x 19"W x 9"H	23 lbs.	UPS
282-24/282-24-R	30"L x 22"W x 24"H	66 lbs.	UPS
323HH (15")	25"L x 22"W x 24"H	55 lbs.	UPS
421	21"L x 18"W x 9"H	21 lbs.	UPS
513	23"L x 17"W x 17"H	13 lbs.	UPS
520	23"L x 21"W x 12"H	30 lbs.	UPS
561	27"L x 23"W x 12"H	41 lbs.	UPS
613	23"L x 17"W x 17"H	13 lbs.	UPS
621	25"L x 23"W x 18"H	47 lbs.	UPS
630	17"L x 16"W x 10"H	13 lbs.	UPS
660N (Case of 6)	20"L x 14"W x 20"H	50 lbs.	UPS
660N (Single Unit)	20"L x 9"W x 5"H	8 lbs.	UPS
670N (Case of 6)	20"L x 14"W x 12"H	32 lbs.	UPS
670N (Single Unit)	12"L x 9"W x 5"H	5 lbs.	UPS
680-1	24"L x 24"W x 32"H	37 lbs.	UPS
680-3	24"L x 24"W x 32"H	44 lbs.	UPS
680-4	26"L x 26"W x 46"H	72 lbs.	Freight
690-16	24"L x 24"W x 32"H	43 lbs.	UPS
690-25	26"L x 26"W x 45"H	63 lbs.	Freight
695/695-S	26"L x 26"W x 41"H	98 lbs.	Freight
721	26"L x 26"W x 25"H	126 lbs.	Freight
727/727HH	16"L x 16"W x 23"H	23 lbs.	UPS
791	19"L x 13"W x 27"H	34 lbs.	UPS
891	19"L x 19"W x 28"H	46 lbs.	UPS
925W	26"L x 26"W x 40"H	85 lbs.	Freight

**LIMITED WARRANTY** - Wisco Industries, Inc. expressly warrants the product will be free from defects in workmanship and materials for a period of 1 year from the date of shipment. WISCO DISCLAIMS AND EXCLUDES ANY AND ALL OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING WITHOUT LIMITATION, ANY AND ALL WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Buyer agrees that its SOLE AND EXCLUSIVE REMEDY against Wisco and Wisco's SOLE AND EXCLUSIVE LIABILITY arising out of any defect or nonconformity in the product shall be replacement/exchange of such nonconforming countertop food service equipment at Wisco's expense. No countertop food service equipment shall be returned without Wisco's consent. IT IS AGREED THAT WISCO'S MAXIMUM LIABILITY SHALL NOT IN ANY CASE EXCEED THE SALE PRICE FOR THE COUNTERTOP EQUIPMENT CLAIMED TO BE DEFECTIVE OR NONCONFORMING. See [wiscoind.com/warranty](http://wiscoind.com/warranty) for complete information.



P.O. Box 10 • Oregon, WI 53575-0010 • P 608-835-3106 • F 608-835-7399 • [www.wiscoind.com](http://www.wiscoind.com)

FP140093 REV. C