



## MODEL 680-3-BLK

Single-door Unit ONLY - Operator  
Serve  
Power Cord on Control/Door Side

This warmer provides bottom heat to keep crusts crisp. The illuminated shelves are thermostatically controlled to provide temperature flexibility. Also ideal for holding cookies, biscuits, muffins and other foods at proper serving temperatures.

### FEATURES:

- Black hood with pizza pictured "Ready To Go" graphic panels (#I013757)
- Adjustable thermostat
- Temperatures from 80°F to above 150°F
- 3 heated, illuminated shelves
- Each shelf accommodates up to a 16" pizza
- Optional racks available (1 per shelf) FLAT (#0016777) or 3/4" RAISED (#0016289)
- Great for placing on top of the Wisco Model 561 pizza oven for a space saving feature



### ELECTRICAL DATA:

VOLTS:	120	AMPS:	3.54	WATTS:	421
--------	-----	-------	------	--------	-----

- Best when operated on an individual branch circuit
- 5' power cord length

### DIMENSIONS:

- External: 18"W x 18"D x 24"H
- Internal: 17"W x 17"D x 13½"H





### SHIPPING INFORMATION:

- SHIPPING DIMENSIONS: 24"W x 24"D x 32"H
- SHIPPING WEIGHT: 44 LBS.






FP140222 REV:ORIG

**IMPORTANT:** Read the following safety and operation instructions to avoid damage to equipment or property.

-  Plug unit into a properly grounded electrical outlet of the correct voltage, size, and plug configuration for this unit. We recommend usage on an individual branch circuit of at least 15 amps for best results. Failure to do so may result in decreased performance of the oven.
-  The oven should never be operated on or near combustible materials. Caution should be taken because of the hot surfaces attained during use. We recommend a 6" spacing from walls.
-  Exterior surfaces on unit may get hot. Use caution when touching these areas to avoid injury.
-  Unplug oven when not in use.

### CLEANING INSTRUCTIONS

-  Unit is not waterproof. Do not submerge in water. Do not operate if unit has been submerged in water.
-  Unplug unit from power source, and allow to cool completely before performing any maintenance or cleaning.
-  The use of any type of ammonia, alcohol or chlorine based household cleaners will cause cracking of the door/enclosure and is not covered under any warranty. Use warm soapy water and a soft cloth only.

It is recommended that the interior and exterior surfaces be cleaned daily with a mild soap and damp cloth. Stubborn stains on base of unit and/or shelves may be removed with a non-abrasive cleaner and a damp cloth. Usage of an abrasive cleanser could scratch or damage the finish of your unit.

STEP 1: Unplug unit from electrical supply

STEP 2: Let unit cool before cleaning

STEP 3: Clean with warm soapy water and a soft cloth only

### EQUIPMENT SETUP

Once the unit has been taken out of the shipping carton and has been unpackaged, check to make sure that all light bulbs are securely in their sockets.

### OPERATION:

Included with your oven is a plastic bag containing the grill handle, clean-out tray knob and appropriate screws and nuts. See the instruction sheet for assembling the flip up handle and clean-out tray.

## TEMPERATURE

The amount of product placed in the warmer will affect the performance of the warmer. We suggest periodically checking the internal temperature of the product and adjusting the temperature settings if necessary. Keep door(s) closed when not serving.

The following temperatures are APPROXIMATE and can vary due to unit location, electrical supply, product used, etc. Intended as a guideline only.

SETTING	TEMPERATURE READING
1	85°F
2	105°F
3	140°F
4	165°F
5	Above 190°F

## OPERATING INSTRUCTIONS

1. Plug unit in.
  2. Before loading prepared food product into warmer, you must preheat the unit for 30 minutes at a setting of 4 or 5 on the thermostat dial. After the preheat time has elapsed, you can then go ahead and place the previously prepared food product inside
  3. Set thermostat to desired level.
- Pizza should be placed on a standard aluminum pizza pan and not directly on the warmer shelf. This will keep product from drying out for a longer period of time and will also help keep the cabinet cleaner.
  - When placing your product on pizza pans, we recommend a setting of 4 or 5. Settings vary depending on product weight, consistency, and personal preference.



CAUTION: Pans get hot. Use hot pads/oven mitts when removing pans from the food warmer.

## MAINTENANCE:

### TO REPLACE DISPLAY LIGHT AND SHELF BULBS



Only shatter resistant light bulbs which meet or exceed NSF Standards specifically designed for food holding units must be used. Breakage of bulbs not specially coated could result in personal injury and/or food contamination.



Disconnect the power supply cord, and wait until unit has completely cooled. Unscrew light, and replace with a new specially coated bulb of the same style and wattage.




## PARTS LIST:

## MODEL 680-1

ITEM #	PART#	DESCRIPTION
1.	0016130	BLACK CANOPY
2.	0016129	CUP WASHERS
3.	0016128	HOOD SCREWS
4.	0016767	ENCLOSURE
5.	0017265	TUFFSKIN INCANDESCENT LAMP
6.	0017264	LIGHT SOCKET
7.	0016161T	COATED BULB 15W
8.	0016134-17	LIGHT SOCKET - BAYONET STYLE
9.	0016181	POWER CORD
10.	0016180	STRAIN RELIEF
11.	00486	POWER SWITCH
12.	0016190	REGULATING THERMOSTAT
13.	0016157	THERMOSTAT KNOB
14.	I013163	THERMOSTAT DIAL
15.	0023040SK	BOTTOM FOOT SERVICE KIT
16.	0016133	#8-32 SCREW
17.	0016144	MAGNETIC STRIP
18.	0018030	DOOR KNOB
19.	0016136	#8-32 ACORN NUT
20.	0016142	MALE HINGE
21.	0016353-BLK	BACK DOOR - BLACK KNOB (CONTROL SIDE)
22.	0016141	FEMALE HINGE
23.	0016123	THERMOMETER
24.	0016138	100W 120V UPPER ELEMENT
25.	0016120	118W 120V LOWER ELEMENT
*	I013756	RED "READY TO GO" DECAL 680/690
*	I013757	PIZZA "READY TO GO" DECAL 680/690
*	0016777	FLAT RACK (PANS OR BOXES)
*	0016289	3/4" RAISED RACK
*	0016329	DUMMY PLUG


MODEL 680-1 EXPLODED VIEW




Rev. Date: 05/24/2012

# MODEL 680-1 WIRING DIAGRAM

## Current Model (Single Switch)



## Obsolete Model (Dual Switch)



Rev. Date: 05/24/2012



## LIMITED WARRANTY/ RETURN POLICY

### 1 YEAR REPLACEMENT/EXCHANGE

Wisco Industries, Inc. warrants its equipment against defects in materials and workmanship subject to the following conditions:

Should any product fail to function in its intended manner under normal use within the limits defined in this warranty, Wisco Industries will determine if the item is to be repaired or replaced by Wisco Industries. Failure to follow authorizing instructions may void any claim and/or warranty.

- \* Contact Wisco Industries for repair/replacement by calling (608) 835-3106 or toll free (800) 999-4726.  
You can also email us at: [contact@wiscoind.com](mailto:contact@wiscoind.com)
- \* An authorizing RMA# must be obtained through Wisco Industries BEFORE any warranty issues can be resolved. Failure to do so in advance may void the warranty/claim resulting in Wisco Industries not being responsible for any incurred expenses and/or charges.
- \* At time of call Wisco Industries will assist you in:
  - getting your unit replaced/exchanged
  - and/or obtaining repair parts
  - and/or authorizing a service agent

This warranty covers products shipped into the 48 contiguous United States, Hawaii and metropolitan areas of Alaska only. Warranty for international or areas not listed above will consist of replacement of parts only. There will be no labor coverage and parts must be shipped to an address within the 48 contiguous United States, Hawaii or metropolitan areas of Alaska only.

#### Time Period

One year from date of shipment from our manufacturing facility. Parts replaced under this warranty are warranted for the un-expired portion of the original product warranty only.

#### Exclusions

The following conditions are not covered by warranty:

- Equipment failure relating to improper installation and improper utility connection or supply.
- Equipment that has not been properly maintained or damage from improper cleaning and/or water damage to controls.
- Equipment that has not been used for its intended purpose or has been subject to misuse or misapplication, neglect, abuse, accident, alteration, negligence, damage during subsequent transit, delivery or installation, fire, flood, riot or act of god.
- Equipment that has the model number or serial number removed or altered.

WISCO INDUSTRIES, INC. DISCLAIMS AND EXCLUDES ANY AND ALL OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING WITHOUT LIMITATION, ANY AND ALL WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Buyer agrees that its SOLE AND EXCLUSIVE REMEDY against Wisco and Wisco's SOLE AND EXCLUSIVE LIABILITY arising out of any defect or nonconformity in the product shall be replacement/exchange of such nonconforming countertop food service equipment at Wisco's expense. No countertop food service equipment shall be returned without Wisco's consent. IT IS AGREED THAT WISCO'S MAXIMUM LIABILITY SHALL NOT IN ANY CASE EXCEED THE SALE PRICE FOR THE COUNTERTOP EQUIPMENT CLAIMED TO BE DEFECTIVE OR NONCONFORMING.

Without limiting the generality of the foregoing, SUCH WARRANTIES DO NOT COVER: Glass, plastic enclosures/panels, door assemblies, hardware, light bulbs & wire pizza oven heating elements.

---

### SHIPPING DAMAGE

If the outside packaging of your order is visibly dented, crushed, torn or otherwise significantly damaged, or if you move the carton and you hear broken glass, please reject the shipment while driver is still with you if possible. Please call us at (800)999-4726 or email [contact@wiscoind.com](mailto:contact@wiscoind.com) to notify us of the issue. We will confirm the damage with the carrier and re-ship your order immediately.

---

### RETURN POLICY

You may return any unused, undamaged items within 30 days of receipt at your expense. We will issue a refund in the form of your original payment, less a 20% restock fee. Wisco Industries will not reimburse any shipping and handling fees. All returns must be received in resalable condition. Wisco Industries will not accept a return with shipping damage.

If you would like to return an item please call us at 608-835-3106 or toll free at 1-800-999-4726 and ask for our Food Service Equipment Division or you may send an email to us at: [contact@wiscoind.com](mailto:contact@wiscoind.com) You will be given a return # and return instructions. We can not accept returns without a return #. Please be sure to include a copy of the packing list with the return.

REV. 1-13-16